

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE
OPENING OR USING
FOR ANIMAL TREATMENT ONLY

Young's DEADMAG BLOWFLY STRIKE DRESSING FLUID

ACTIVE CONSTITUENTS: 14.4 g/L PROPETAMPHOS
(An anticholinesterase compound)
400 g/L PARADICHLOROENZENE
SOLVENT: 510 g/L LIQUID HYDROCARBONS

For the treatment of blowfly struck sheep.
When applied as directed this product will protect
against fly strike for up to 20 days.

Contents 1 LITRE



Arysta LifeScience

Arysta LifeScience Corporation

ABN 37 832 141 368

77-79 Canterbury Rd

CANTERBURY VIC 3126 AUSTRALIA

Telephone (03) 9830 7011 Facsimile (03) 9830 7611

READ DIRECTIONS FOR USE BEFORE OPENING OR
USING THIS PRODUCT

DIRECTIONS FOR USE:

RESTRAINTS:

DO NOT collect and re-use fluid which runs off.
DO NOT USE on lactating ewes where milk or milk
products may be used for human consumption.

ANIMAL (PEST)	TREATMENT	RATE
Sheep (Blowfly)	Dressing for treatment	Use 25 mL product for each 1 L water (1:40).

CRITICAL COMMENTS:

- Clip wool over struck area and for a further 10 cm margin around the wound.
- Saturate struck area thoroughly. Saturate affected area and surrounding wool using a soft brush, working wash well into the affected area. Ensure that no maggots escape into surrounding fleece.
- Re-inspect affected animals the following day to ensure no areas of strike were missed.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS:

(MEAT): DO NOT USE less than 14 days before slaughter for human consumption.
(MILK): DO NOT USE on lactating ewes where milk or milk products may be used for human consumption.
(WOOL): DO NOT USE less than 2 months before shearing or fibre collection.

Note: The withholding period for meat applies only to meat destined for the Australian domestic market. Some export markets apply different standards which may require an export slaughter interval. If meat from the animal on which this product is to be used may be sold outside the Australian domestic market, details of overseas standards should be obtained prior to use of this product.

GENERAL INSTRUCTIONS

Mix the required quantity of Deadmag with water in a suitable container until a uniform emulsion is produced. Mixes readily with hard or soft water. To prevent maggots from spreading and establishing outwards, fleece should be clipped well back all around the struck area.

SAFETY DIRECTIONS

Product is poisonous if absorbed by skin contact or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. Will damage eyes. Will irritate the nose, throat and skin. Avoid contact with eyes and skin. Avoid inhaling vapour. When opening the container, mixing and using the prepared solution, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, PVC or

rubber apron, elbow-length PVC gloves and goggles or safety glasses. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and goggles or safety glasses and contaminated clothing.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone eg Australia 131126; New Zealand 0800 764 766) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. If swallowed, do NOT induce vomiting. Give a glass of water. Avoid giving milk or oils.

MSDS: Additional information is listed in the Material Safety Data Sheet.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. Do not contaminate streams, rivers or waterways with the chemical or used containers.

DISPOSAL

Triple or (preferably) pressure rinse into the medicated water. Do not dispose of undiluted chemicals on-site. Break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burned.

STORAGE

Store below 30°C (room temperature). Store in original container, tightly closed.

WARRANTY AND EXCLUSION OF LIABILITY

This product is warranted fit for the purposes specifically recommended by Arysta LifeScience Corporation when used strictly as directed on this label. All other warranties and obligations or liabilities, whether expressed or implied by statute or otherwise, are excluded to the full extent that exclusion is permitted by law.

APVMA Approval No. 40138/1L/0107

Batch Number

Expiry Date

